Contents

VOLUME 17 NUMBER 1

Research Articles

- 1 glmS of Thermus thermophilus HB8: an essential gene for cell-wall synthesis identified immediately upstream of the S-layer gene L. A. Fernández-Herrero, M.-A. Badet-Denisot, B. Badet & J. Berenguer
- 13 Identification and characterization of new DNA replication terminators in *Bacillus subtilis*A. H. Franks, A. A. Griffiths & R. G. Wake
- 25 The role of cysteine residues in the transport of mercuric ions by the Tn501 MerT and MerP mercury-resistance proteins A. P. Morby, J. L. Hobman & N. L. Brown
- A new RNA polymerase sigma factor, σ^F, is required for the late stages of morphological differentiation in *Streptomyces* spp.
 L. Potúčková, G. H. Kelemen, K. C. Findlay, M. A. Lonetto, M. J. Buttner & J. Kormanec
- 49 Co-ordinate, temperature-sensitive regulation of the three Yersinia enterocolitica flagellin genes V. Kapatral & S. A. Minnich
- A physical genome map of the Burkholderia cepacia type strain
 P. D. Rodley, U. Römling, B. Tümmler
- 69 Cloning and molecular characterization of two genes encoding adhesion proteins involved in Trichomonas vaginalis cytoadherence J. F. Alderete, J. L. O'Brien, R. Arroyo, J. A. Engbring, O. Musatovova, O. Lopez, C. Lauriano & J. Nguyen
- 85 Long stretches of short tandem repeats are present in the largest replicons of the Archaea Haloferax mediterranei and Haloferax volcanii and could be involved in replicon partitioning F. J. M. Mojica, C. Ferrer, G. Juez & F. Rodríguez-Valera
- 95 Cloning and characterization of *GPD2*, a second gene encoding *sn*-glycerol 3-phosphate dehydrogenase (NAD*) in *Saccharomyces cerevisiae*, and its comparison with *GPD1* P. Eriksson, L. André, R. Ansell, A. Blomberg & L. Adler
- 109 tRNA genes and pathogenicity islands: influence on virulence and metabolic properties of uropathogenic Escherichia coli A. Ritter, G. Blum, L. Emödy, M. Kerenyi, A. Böck, B. Neuhierl, W. Rabsch, F. Scheutz & J. Häcker
- SepA, the major extracellular protein of Shigella flexneri: autonomous secretion and involvement in tissue invasion
 Benjelloun-Touimi, P. J. Sansonetti & C. Parsot
- 137 Characterization of a novel fibronectin-binding surface protein in group A streptococci
 B. Kreikemeyer, S. R. Talay & G. S. Chhatwal

- 147 GvpCs with reduced numbers of repeating sequence elements bind to and strengthen cyanobacterial gas vesicles
 R. Kinsman, A. E. Walsby & P. K. Hayes
- The stationary-phase sigma factor σ^S (RpoS) is required for a sustained acid tolerance response in virulent *Salmonella typhimurium* I. S. Lee, J. Lin, H. K. Hall, B. Bearson & J. W. Foster
- 169 PhoP/PhoQ transcriptional repression of Salmonella typhimurium invasion genes: evidence for a role in protein secretion D. A. Pegues, M. J. Hantman, I. Behlau & S. I. Miller
- A multiple site-specific DNA-inversion model for the control of Omp1 phase and antigenic variation in *Dichelobacter nodosus* E. K. Moses, R. T. Good, M. Sinistaj,
 S. J. Billington, C. J. Langford & J. I. Rood
- 197 Characterization and regulation of the expression of FatB, an iron transport protein encoded by the pJM1 virulence plasmid L. A. Actis, M. E. Tolmasky, L. M. Crosa & J. E. Crosa

VOLUME 17 NUMBER 2

MicroReview

205 Programmed cell death in bacteria: proteic plasmid stabilization systems
 R. B. Jensen & K. Gerdes

- Comparison of ccd of F, parDE of RP4, and parD of R1 using a novel conditional replication control system of plasmid R1
 R. B. Jensen, E. Grohmann, H. Schwab,
 R. Díaz-Orejas & K. Gerdes
- Deletion of DNA lying close to the *glkA* locus induces ectopic sporulation in *Streptomyces coelicolor* A3(2)
 G. H. Kelemen, K. A. Plaskitt, C. G. Lewis, K. C. Findlay & M. J. Buttner
- 231 Characterization of a new *rho* mutation that relieves polarity of Mu insertions
 J. E. Peters & S. A. Benson
- 241 Identification of a novel virulence gene, virA, on the large plasmid of Shigella, involved in invasion and intercellular spreading K. Uchiya, T. Tobe, K. Komatsu, T. Suzuki, M. Watarai, I. Fukuda, M. Yoshikawa & C. Sasakawa
- 251 Glucose lowers CRP* levels resulting in repression of the *lac* operon in cells lacking CAMP
 H. Tagami, T. Inada, T. Kunimura & H. Aiba

- 259 An Agrobacterium virulence factor encoded by a Ti plasmid gene or a chromosomal gene is required for T-DNA transfer into plants S. Q. Pan, S. Jin, M. I. Boulton, M. Hawes, M. P. Gordon & E. W. Nester
- The -16 region, a vital sequence for the utilization of a promoter in *Bacillus subtilis* and *Escherichia coli* M. I. Voskuil, K. Voepel & G. H. Chambliss
- 281 Evidence that the transcriptional activator Spo0A interacts with two sigma factors in Bacillus subtilis
 J. M. Baldus, C. M. Buckner & C. P. Moran, Jr
- 291 A transcription terminator signal necessary for plasmic Collb-P9 replication
 A. Mori, K. Ito, K. Mizobuchi & Y. Nakamura
- 303 Leucine-responsive regulatory protein plays dual roles as both an activator and a repressor of the Escherichia coli pap fimbrial operon M. W. van der Woude, L. S. Kaltenbach & D. A. Low
- 313 Closing in on the toxic domain through analysis of a variant Clostridium difficile cytotoxin B C. von Eichel-Streiber, D. Meyer zu Heringdorf, E. Habermann & S. Sartingen
- 323 Gradient of genomic diversity in the Pseudomonas aeruginosa chromosome U. Römling, J. Griepel & B. Tümmler
- Multiple homologues of LuxR and LuxI control expression of virulence determinants and secondary metabolites through quorum sensing in *Pseudomonas aeruginosa* PAO1 A. Latifi, M. K. Winson, M. Foglino, B. W. Bycroft, G. S. A. B. Stewart, A. Lazdunski & P. Williams
- 345 Characterization of the yenl/yenR locus from Yersinia enterocolitica mediating the synthesis of two N-acylhomoserine lactone signal molecules J. P. Throup, M. Camara, G. S. Briggs, M. K. Winson, S. R. Chhabra, B. W. Bycroft, P. Williams & G. S. A. B. Stewart
- Identification of a chemotaxis operon with two cheY genes in Rhodobacter sphaeroides
 M. J. Ward, A. W. Bell, P. A. Hamblin, H. L. Packer
 J. P. Armitage
- A cellulase/xylanase-negative mutation of Streptomyces lividans 1326 defective in cellobiose and xylobiose uptake is mutated in a gene encoding a protein homologous to ATP-binding proteins
 Y. Hurtubise, F. Shareck, D. Kluepfel & R. Morosoli
- 379 The leucine zipper of Aeromonas salmonicida AbcA is required for the transcriptional activation of the P2 promoter of the surface-layer structural gene, vapA, in Escherichia coli B. Noonan & T. J. Trust
- NodS is an S-adenosyl-L-methionine-dependent methyltransferase that methylates chitooligosaccharides deacetylated at the non-reducing end D. Geelen, B. Leyman, P. Mergaert, K. Klarskow, M. Van Montagu, R. Geremia & M. Holsters

MicroCorrespondence

- 399 An Archaebacterial elF-1A: new grist for the mill P. J. Keeling & W. F. Doolittle
- The malleability of the carboxy-terminus of the Escherichia coli β' subunit of RNA polymerase:
 a bi functional fusion of the LacZ(a) region
 G. C. Rowland & R. E. Glass

VOLUME 17 NUMBER 3

MicroReviews

- 405 RNA capping enzyme and DNA ligase: a superfamily of covalent nucleotidyl transferases
 S. Shuman & B. Schwer
- 411 Rnase P a 'Scarlet Pimpernel' L. A. Kirsebom
- 421 Why does Escherichia coli recycle its cell wall peptides?
 J. T. Park
- 427 Maturation pathway of nisin and other lantibiotics: post-translationally modified antimicrobial peptides exported by Gram-positive bacteria W. M. de Vos, O. P. Kuipers, J. R. van der Meer & R. J. Siezen

- 439 An intron-containing melosis-induced recombination gene, rec15, of Schizosaccharomyces pombe
 Y. Lin & G. R. Smith
- The extreme C-terminus is required for secretion of both the native polygalacturonase (PehA) and PehA-Bla hybrid proteins in Erwinia carotovora subsp. carotovora

 T. Palomäki & H. T. Saarilahti
- 461 MxiG, a membrane protein required for secretion of Shigella spp. lpa invasins: involvement in entry into epithelial cells and in intercellular dissemination A. Allaoui, P. J. Sansonetti, R. Ménard, S. Barzu, J. Mounier, A. Phalipon & C. Parsot
- Analysis of an Escherichia coli mutant TyrR protein with impaired capacity for tyrosine-mediated repression, but still able to activate at σ⁷⁰ promoters
 T. Kwok, J. Yang, A. J. Pittard, T. J. Wilson & B. E. Davidson
- 483 Evidence for two aromatic amino acid-binding sites, one ATP-dependent and the other ATP-independent, in the *Escherichia coli* regulatory protein TyrR

 T. J. Wilson, V. P. Argaet, G. J. Howlett & B. E. Davidson
- Transcription-induced deletions in Escherichia coli plasmids
 D. Vilette, S. D. Ehrlich & B. Michel

505 Direct regulation of the ATPase activity of the transcriptional activator DmpR by aromatic compounds
V. Shingler & H. Pavel

V. Shingler & H. Pavel

- 515 Functional analysis of the pediocin operon of Pediococcus acidilactici PAC1.0: PedB is the immunity protein and PedD is the precursor processing enzyme K. Venema, J. Kok, J. D. Marugg, M. Y. Toonen, A. M. Ledeboer, G. Venema & M. L. Chikindas
- 523 Salmonella typhimurium responses to a bactericidal protein from human neutrophils S.-Y. Qi, Y. Li, A. Szyroki, I. G. Giles, A. Moir & C. D. O'Connor
- Characterization of pra, a gene for replication control in pSAM2, the integrating element of Streptomyces ambofaciens
 G. Sezonov, J. Hagège, J.-L. Pernodet,
 A. Friedmann & M. Guérineau
- Detection of induced β-galactosidase activity in individual non-culturable cells of pathogenic bacteria by quantitative cytological assay
 C. E. Nwoguh, C. R. Harwood & M. R. Barer
- 555 Identification and characterization of a cell envelope protein of *Haemophilus influenzae* contributing to phase variation in colony opacity and nasopharyngeal colonization J. N. Weiser, S. T. H. Chong, D. Greenberg & W. Fong
- 565 Identification of base pairs important for OmpR-DNA interaction L. A. Pratt & T. J. Silhavy
- A novel locus of Yersinia enterocolitica
 serotype 0:3 involved in lipopolysaccharide
 outer core biosynthesis
 M. Skurnik, R. Venho, P. Toivanen & A. Al-Hendy

MicroCoresspondence

- 595 Rnase K: one less letter in the alphabet soup
 U. Lundberg, Ö. Melefors, B. Sohlberg,
 D. Georgellis & A. von Gabain
- 597 Comment on the *MicroReview* by Conrad Woldringh (Significance of plasmolysis spaces as markers for perispetal annuli and adhesion sites. *Mol Microbiol*, 1994, 14: 597–607) W. Cook & L. Rothfield
- 598 Non-polar plasmolysis spaces in *Escherichia coli*: are they positioned by perispetal annuli or do they occur randomly? (Response to the MicroCorrespondence by Cook and Rothfield) C. Woldringh

Erratum

601 Complementation studies with the gas vesicleencoding p-vac region of Halobacterium salinarium PHH1 reveal a regulatory role for the p-gvpDE genes S. Offner & F. Pfeifer

Corrigendum

Fur regulation in Yersinia species
T. M. Staggs & R. D. Perry

VOLUME 17 NUMBER 4

MicroReview

603 Gene regulation of siderophore-mediated iron acquisition in *Pseudomonas*: not only the Fur repressor
V. Venturi, P. Weisbeek & M. Koster

- 611 Region 2 of the Escherichia coli K5 capsule gene cluster encoding proteins for the biosynthesis of the K5 polysaccharide C. Petit, G. P. Rigg, C. Pazzani, A. Smith, V. Sieberth, M. Stevens, G. Boulnois, K. Jann & I. S. Roberts
- 7 The endogenous Bacillus subtilis (natto)
 plasmids pTA1015 and pTA1040 contain signal peptidase-encoding genes: identification of a new structural module on cryptic plasmids
 W. J. J. Meijer, A. de Jong, G. Bea, A. Wisman, H. Tjalsma, G. Venema, S. Bron & J. M. van Dijl
- 633 NusG overexpression inhibits Rho-dependent termination in Escherichia coli

 E. Burova & M. E. Gottesman
- Molecular analysis of the two-component genes, ompR and envZ, in the symbiotic bacterium Xenorhabdus

 N. Tabatabai & S. Forst
- 653 A genomic locus in Saccharomyces cerevisiae with four genes up-regulated by osmotic stress V. J. Miralles & R. Serrano
- 663 The dnaK operon of Streptomyces coelicolor encodes a novel heat-shock protein which binds to the promoter region of the operon G. Bucca, G. Ferina, A. M. Puglia & C. P. Smith
- 675 A third periplasmic transport system for L-arginine in Escherichia coli: molecular characterization of the artPIGMJ genes, arginine binding and transport U. Wissenbach, S. Six, J. Bongaerts, D. Ternes, S. Steinwachs & G. Unden
- 687 In Rhizobium meliloti, the operon associated with the nod box n5 comprises nodL, noeA and noeB, three host-range genes specifically required for the nodulation of particular Medicago species
 M. Ardourel, G. Lortet, F. Maillet, P. Roche,
 G. Truchet, J.-C. Promé & C. Rosenberg
- 701 Salmonella enteritidis has a homologue of tolC that is required for virulence in BALB/c mice B. J. Stone & V. L. Miller
- 713 An rpoE-like locus controls outer membrane protein synthesis and growth at cold temperatures and high pressures in the deep-sea bacterium Photobacterium sp. strain SS9 E. Chi & D. H. Bartlett
- 727 Localized denaturation of oriT DNA within relaxosomes of the broad-host-range plasmid R1162
 S. Zhang & R. J. Meyer

- 737 Developmental control of the heat-shock stress regulon in Streptomyces coelicolor
 A. M. Puglia, J. Vohradsky & C. J. Thompson
- 747 Antisense RNA regulation of the fatB iron transport protein gene in Vibrio anguillarum
 L. S. Waldbeser, Q. Chen & J. H. Crosa
- 757 The deletion of 70 amino acids near the
 N-terminal end of the sucrose-specific porin
 ScrY causes its functional similarity to LamB
 in vivo and in vitro
 K. Schülein, C. Andersen & R. Benz
- Rearrangements in the staphylococcal β-lactamase-encoding plasmid, plP1066, including a DNA inversion that generates two alternative transposons
 A. Derbise, K. G. H. Dyke & N. El Solh
- 781 Functional conservation of the Salmonella and Shigella effectors of entry into epithelial cells D. Hermant, R. Ménard, N. Arricau, C. Parsot & M. Y. Popoff
- 791 Referees

MicroCorrespondence

799 New name for the positive regulator of the M protein of group A Streptococcus J. R. Scott, P. Cleary, M. G. Caparon, M. Kehoe, L. Heden, J. M. Musser, S. Hollingshead & A. Podbielski

VOLUME 17 NUMBER 5

MicroReview

 Transcriptional regulation of bioluminescence genes from Vibrio fischeri
 D. M. Sitnikov, J. B. Schineller & T. O. Baldwin

- 813 Distinct transcriptional regulation of a gene coding for a mitochondrial protein in the yeasts Saccharomyces cerevisiae and Kluyveromyces lactis despite similar promoter structures W. Mulder, I. H. J. M. Scholten & L. A. Grivell
- 825 The speed of the Escherichia coli fork in vivo depends on the DnaB:DnaC ratio
 K. Skarstad & S. Wold
- 833 Characterization of domains in the yeast MAP kinase Slt2 (Mpk1) required for functional activity and in vivo interaction with protein kinases Mkk1 and Mkk2
 M. Soler, A. Plovins, H. Martín, M. Molina & C. Nombela
- 843 Gene-regulatory modules in Escherichia coli: nucleoprotein complexes formed by cAMP-CRP and CytR at the nupG promoter H. Pedersen, J. Dall, G. Dandanell & P. Valentin-Hansen
- High adhesiveness of encapsulated Neisseria meningitidis to epithelial cells is associated with the formation of bundles of pili
 M. Marceau, J.-L. Beretti & X. Nassif

- 865 Opa-typing: a high-resolution tool for studying the epidemiology of gonorrhoea
 M. O'Rourke, C. A. Ison, A. M. Renton & B. G. Spratt
- 877 Mutational analysis reveals dispensability of the N-terminal region of the Aspergillus transcription factor mediating nitrogen metabolite repression T. Langdon, A. Sheerins, A. Ravagnani, M. Gielkens, M. X. Caddick & H. N. Arst, Jr
- 889 Mycobacterium tuberculosis is a natural mutant with an inactivated oxidative-stress regulatory gene: implications for sensitivity to isoniazid V. Deretic, W. Philipp, S. Dhandayuthapani, M. H. Mudd, R. Curcic, T. Garbe, B. Heym, L. E. Via & S. T. Cole
- 901 Green fluorescent protein as a marker for gene expression and cell biology of mycobacterial interactions with macrophages S. Dhandayuthapani, L. E. Via, C. A. Thomas, P. M. Horowitz, D. Deretic & V. Deretic
- Green fluorescent protein as a new expression marker in mycobacteria
 L. Kremer, A. Baulard, J. Estaquier,
 O. Poulain-Godefroy & C. Locht
- 923 Transcriptional organization and expression of nolXWBTUV, a locus that regulates cultivar-specific nodulation of soybean by *Rhizobium fredii* USDA257 L. G. Kovács, P. A. Balatti, H. B. Krishnan & S. G. Pueppke
- 935 Regulation of nucleoside diphosphate kinase and an alternative kinase in *Escherichia coli*: role of the *sspA* and *rnk* genes in nucleoside triphosphate formation
 S. Shankar, D. Schlictman & A. M. Chakrabarty
- 945 Asymmetric distribution of the Listeria monocytogenes ActA protein is required and sufficient to direct actin-based motility
 G. A. Smith, D. A. Portnoy & J. A. Theriot
- 953 Specific recognition of the *Bacillus subtilis gnt*cis-acting catabolite-responsive element by a
 protein complex formed between CcpA and
 seryl-phosphorylated HPr
 Y. Fujita, Y. Miwa, A. Galinier & J. Deutscher
- 961 Analysis of the *motA* flagellar motor gene from *Rhodobacter sphaeroides*, a bacterium with a unidirectional, stop-start flagellum D. S. H. Shah & R. E. Sockett
- 971 Binding of the TorR regulator to *cis*-acting direct repeats activates *tor* operon expression G. Simon, C. Jourlin, M. Ansaldi, M.-C. Pascal, M. Chippaux & V. Méjean
- 981 Participation of the purine repressor in control of the carbamoylphosphate synthetase operon in Salmonella typhimurium C.-D. Lu, S. Katzif & A. T. Abdelal
- 989 Molecular characterization and transcriptional analysis of a multidrug resistance gene cloned from the pristinamycin-producing organism, Streptomyces pristinaespiralis
 V. Blanc, K. Salah-Bey, M. Folcher & C. J. Thompson

- 1001 Stress-activated expression of a Streptomyces pristinaespiralis multidrug resistance gene (ptr) in various Streptomyces spp. and Escherichia coli K. Salah-Bey, V. Blanc & C. J. Thompson
- 1013 GroEL (Hsp60)-based eubacterial and organellar phylogenies
 A. Viale

VOLUME 17 NUMBER 6

Research Articles

- 1015 Identification by in vitro complementation of regions required for cell-invasive activity of Bordetella pertussis adenylate cyclase toxin M. Iwaki, A. Ullmann & P. Šebo
- 1025 Potassium channel activation by glutathione-S-conjugates in Escherichia coli: protection against methylglyoxal is mediated by cytoplasmic acidification
 G. P. Ferguson, D. McLaggan & I. R. Booth
- 1035 Vibrio spp. secrete proaerolysin as a folded dimer without the need for disulphide bond formation
 K. R. Hardie, A. Schulze, M. W. Parker & J. T. Buckley
- 1045 Transcriptional regulation of repressor synthesis in mycobacteriophage L5
 C. E. Nesbit, M. E. Levin, M. K. Donnelly-Wu & G. F. Hatfull
- 1057 Pilus biogenesis and epithelial cell adherence of Neisseria gonorrhoeae pilC double knock-out mutants
 T. Rudel, H.-J. Boxberger & T. F. Meyer
- 1073 Uptake and nuclear transport of Neisseria IgA1 protease-associated α-proteins in human cells J. Pohlner, U. Langenberg, U. Wölk, S. C. Beck & T. F. Meyer
- 1085 Transcriptional activation of the Escherichia coli bgl operon: negative regulation by DNA structural elements near the promoter J. Singh, M. Mukerji & S. Mahadevan
- 1093 Characterization of AGT1 encoding a general α-glucoside transporter from Saccharomyces
 E.-K. Han, F. Cotty, C. Sottas, H. Jiang & C. A. Michels
- 1109 Usual regulatory mechanism for a Streptomyces multidrug resistance gene, ptr, involving three homologous protein-binding sites overlapping the promoter region K. Salah-Bey & C. J. Thompson
- 1121 The recA gene of Lactococcus lactis: characterization and involvement in oxidative and thermal stress P. Duwat, S. D. Ehrlich & A. Gruss

- 1133 Single amino acid substitutions in the N-terminus of Vibrio cholerae TcpA affect colonization, autoagglutination, and serum resistance
 S. L. Chiang, R. K. Taylor, M. Koomey & J. J. Mekalanos
- 1143 Adhesion properties of mutants of Staphylococcus aureus defective in fibronectin-binding proteins and studies on the expression of fnb genes C. Greene, D. McDevitt, P. Francois, P. E. Vaudaux, D. P. Lew & T. J. Foster
- Molecular genetics and transport analysis of the copper-resistance determinant (pco) from Escherichia coli plasmid pRJ1004
 N. L. Brown, S. R. Barrett, J. Camakaris, B. T. O. Lee & D. A. Rouch
- A cell-surface polysaccharide that facilitates rapid population migration by differentiated swarm cells of *Proteus mirabilis* D. Gygi, M. M. Rahman, H.-C. Lai, R. Carlson, J. Guard-Petter & C. Hughes
- 1177 Lethality of rep recB and rep recC double mutants of Escherichia coli M. Uzest, S. D. Ehrlich & B. Michel
- 1189 Four genes, two ends, and a res region are involved in transposition of Tn5053: a paradigm for a novel family of transposons carrying either a mer operon or an integron
 G. Y. Kholodii, S. Z. Mindlin, I. A. Bass,
 O. V. Yurieva, S. V. Minakhina & V. G. Nikiforov
- Meningococcal pilin: a glycoprotein substituted with digalactosyl
 2,4-diacetamido-2,4,6-trideoxyhexose
 E. Stimson, M. Virji, K. Makepeace, A. Dell, H. R. Morris, G. Payne, J. R. Saunders, M. P. Jennings, S. Barker, M. Panico, I. Blench & E. R. Moxon

MicroCorrespondence

- 1215 Structural and functional similarities between the SbcCD proteins of *Escherichia coli* and the RAD50 and MRE11 (RAD32) recombination and repair proteins of yeast
 G. J. Sharples & D. R. F. Leach
- 1218 A protein family associated with filament biogenesis in bacteria
 N. Firth & R. A. Skurray
- 1219 Domain structure of the outer membrane transporter protein CyaE of *Bordetella* pertussis

 R. Gross

Indexes

- 1221 Keyword Index
- 1227 Author Index